

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
Georgia Natives												
Fern												
<i>Osmunda cinnamomea</i>	Cinnamon Fern	pt sh/sh	2-3'	2-3'					x		x	bog/pond area, full sun if standing water, bird nesting material
<i>Thelypteris kunthii</i>	Southern Shield Fern	pt sh/sh	30"	2'							x	deer resistant
<i>Woodwardia areolata</i>	Netted Chainfern	pt sh/sh	2-3'	spreads								bog/pond aream shelter for frogs, toads, newts
Grass												
<i>Andropogon glomeratus</i>	Bushy Bluestem	sun	2-5'	bunches	white/brown	sum/fall	x		x	x	x	Skipper LH, nesting materials native bees, deer resistant
<i>Andropogon glomeratus</i>	Hirsutior' Hairy Bluestem	sun	2-5'	bunches	white/brown	sum/fall	x		x	x	x	Skipper LH, nesting materials native bees, deer resistant
<i>Chasmanthium latifolia</i>	River Oats	pt sh	2-3'	2'	lt brown	fall	x		x		x	Gemmed Satyr, Viola's Wood-Satyr LH
<i>Chasmanthium laxum</i>	Slender Woodoats	sun/pt sh	2'	2'		summer			x			Gemmed Satyr, Viola's Wood-Satyr LH, moist growing conditions
<i>Distichlis spicata</i>	Saltgrass	sun	1'	spreads	lt brown	spr-fall	x		x			wet, saline soils, Skipper LH , birds
<i>Eragrostis spectabilis</i>	Purple Lovegrass	sun	1-2'	1-2'	reddish purple	sum/fall					x	sandy soil, med to dry
<i>Muhlenbergia capillaris</i>	Muhly Grass	sun/pt sh	1.5-3'	2'	pink	fall					x	deer resistant
<i>Panicum virgatum</i>	Switchgrass	sun/pt sh	3-7'	2-3'	pink	fall	x		x		x	deer resistant, drought tolerant, clay or sandy soil
<i>Schizachyrium scoparium</i>	Camper Little Bluestem	sun	1-4'	1-3'	avender	sum/fall	x		x		x	bluish foliage, drought tol.
<i>Spartina alterniflora</i>	Smooth Cordgrass	sun	3-6'	narrow	yellow	spr	x		x			deer browse, Louisiana eyed Silkmoth LH, wet soils, salt tolerant
<i>Spartina bakeri</i>	Sand Cordgrass	sun	3-4'	5-20'	brown	spr-fall						Evergreen, good by ponds, salt tol.

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Spartina patens</i>	Saltmeadow Cordgrass	sun	1-3'	spreads	yellow				x			shoreline stabilization plant, salt tol.
<i>Sporobolus virginicus</i>	Seashore Dropseed	sun	0.5-1'	spreads	green							shoreline stabilization plant, salt tol.
<i>Tripsacum dactyloides</i>	Eastern Gammagrass	sun/pt sh	3-5'	3'	brown	summer	x		x			Byssus skippers LH
<i>Uniola paniculata</i>	Sea Oats	sun	4-6'	spreads	yellow	spr-fall			x		x	used for dune stabilization
Sedge/Rush												
<i>Cyperus retrorsus</i>	Pine Barren Flatsedge	sun	18-20"			sum/fall			x			drought tolerant, takes sandy soil
<i>Dichromena colorata</i>	Star Sedge	pt shade	1-3'		white	spr-fall						
<i>Juncus effusus</i>	Soft Rush	sun	2-4'	clumps	green/brown	sum/fall			x			swamps, damp open ground
<i>Juncus marginatus</i>	Grassleaf Rush	sun/pt sh	2-3'	clumps	brown	spr-fall						moist peaty to sandy soil, freshwater marshes
<i>Juncus roemerianus</i>	Black Needle Rush	sun/pt sh	3-5'	spreads	brown	sum/fall			x			brackish and salt marshes,
<i>Typha spp</i>	Cattail	sun/pt sh	5-10'	spreads	brown	spr/sum			x			brackish water, can be aggressive in fresh h2o
Perennial												
<i>Asclepias tuberosa</i>	Butterfly Milkweed	sun	1-3'	1-2'	orange	sum	x				x	monarch , gray hairstreak, queen, and milkweed tussock moth
<i>Asclepias incarnata</i>	Swamp Milkweed	sun	4-5'	3-4'	pink	sum/fall	x				x	nectar and LH Monarch
<i>Asclepias perennis</i>	White Swamp Milkweed	sun/pt sh	1-3'	1'	white/pink	sum/fall	x			x	x	needs wet or contantly moist soil, special value to bees
<i>Ampelaster carolinianus</i>	Climbing Aster	sun/pt sh	5 - 9'	3 to 4'	blue	fall	x		x			nectar source
<i>Baptisia alba</i>	White Wild Indigo	sun/shade	2-3'	2'	white	spring		x		x	x	special value to native and bumble bees
<i>Borrichia frutescens</i>	Sea Oxeye Daisy	sun	3-4'	1-3'	yellow	yr round	x		x	x		salt tolerant

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Canna flaccida</i>	Golden Canna	pt sh/sh	3-4'	3-5'	yellow	summer	x	x				Brazilian skipper LH, nectar source, swamp margins, freshwater marshes
<i>Conoclinium coelestinum</i>	Blue Mistflower	sun/pt sh	3'	spreads	blue	fall	x	x	x	x		special value to native bees, attracts predatory insects
<i>Coreopsis grandiflora</i>	Lg Flowered Coreopsis	sun/pt sh	3'	2-3'	yellow	spring	x		x			nectar source, self seeds
<i>Coreopsis lanceolata</i>	Lanceleaf Tickseed	sun/pt sh	2-3'	2-3'	yellow	spr/sum	x			x	x	special value to native bees & butterflies, self seeds
<i>Coreopsis linifolia</i>	Savannah coreopsis	sun/pt sh	3'	2-3'	yellow	fall	x		x		x	nectar source
<i>Coreopsis leavenworthii</i>	Tickseed	sun/pt sh	2-3'	1-2'	yellow	summer	x		x		x	self seeding , nectar source
<i>Coreopsis integrifolia</i>	Fringeleaf Tickseed	sun/pt sh	1.5-2.5'	spreads	yellow	lt sum/fall	x			x	x	likes moist soil, native to blackwater stream banks & flood plains of coastal GA, threatened
<i>Echinacea purpurea</i>	E. Purple Coneflower	sun/pt sh	2-4'	2-3'	purple	summer	x	x	x		x	special value to native bees & butterflies, self seeds
<i>Elephantopus tomentosus</i>	Elephant's Foot	pt sh	2'	2'	purple	fall	x	x	x			nectar source
<i>Eupatorium species</i>	Common Boneset	sun/pt sh	4-6'	3-4'	white	sum/fall	x			x		likes moist soil, medicinal uses
<i>Eutrochium purpureum</i>	Joe Pye Weed	sun/pt sh	3-6'	2-3'	purple	sum/fall	x			x	x	likes moist, well-drained soil
<i>Euthamia caroliniana</i>	Slender Goldentop	sun/pt sh	1-3'	1-2'	yellow	fall/win	x			x		special value to native bees. needs moist soil
<i>Gaillardia pulchella</i>	Indian Blanket	sun/pt sh	1-2'	2-3'	red and yellow	sum	x			x	x	special value to native bees & butterflies
<i>Helianthus angustifolius</i>	Swamp Sunflower	sun/shade	2-9'	spreads	yellow	fall	x	x	x		x	nectar source, special value to native bees, bog or pond area
<i>Helianthus debilis</i>	Dune Sunflower	sun	2-4'	2-4'	yellow	sum/fall			x	x		Sandy soils, Native Bees, spreads

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Helianthus radula</i>	Rayless Sunflower	sun	3-4'	1'	maroon	sum/fall	x			x		sandy soils
<i>Hibiscus aculeatus</i>	Pineland Hibiscus	sun/pt sha	3-6'		white	sum/fall						
<i>Hibiscus coccineus</i>	Scarlet Rose Mallow	sun/pt sh	6-8'	3-4'	red	sum/fall	x	x	x			nectar source, swamps, marshes, ditches
<i>Hibiscus grandiflorus</i>	Giant Rose Mallow	sun/pt sh	6-8'	4-5'	pink	sum/fall	x	x	x			nectar source, swamps, marshes, ditches
<i>Hibiscus moscheutos</i>	Crimsoneyed or Swamp Rosemallow	sun/pt sh	4-7'	2-4'	pink	sum/fall	x	x		x		moist soil
<i>Hypericum myrtifolium</i>	St. John's-wort	sun	1-3'	3-6'	yellow	spr/sum						
<i>Iris virginica</i>	Southern Blue Flag	sun/pt sh	2-2.5'	1-2'	lt blue/purple	spr	x	x			x	moist soil
<i>Kosteletzkya virginica</i>	Seashore Mallow	sun/pt sh	3-4'	3'4'	pink	sum/fall	x	x	x			nectar source
<i>Liatris spicata*</i>	Blazing Star	sun	3-4.5'	2'	purple	spring	x	x	x		x	nectar source, special value to native and bumble bees
<i>Lobelia cardinalis</i>	Cardinal Flower	sun/shade	2-6'	1-2'	red	sum/fall		x			x	needs moist to wet soil
<i>Ludwigia linearis</i>	Narrowleaf Primrose	sun/pt sh	1-2'		yellow	summer						fresh water aquatic plant
<i>Monarda didyma*</i>	Red Bergamot	sun/shade	2-4'	3'	red	summer	x	x	x	x	x	nectar source, special value to native and bumble bees
<i>Monarda fistulosa</i>	Wild Bergamont	sun/shade	2-4'	3'	lavender	spring	x	x	x	x	x	nectar source, special value to native and bumble bees
<i>Monarda punctata</i>	Spotted Beebalm	sun/shade	2-4'	3'	pink	fall	x	x	x	x	x	nectar source, special value to native, bumble & honey bees
<i>Oenothera biennis</i>	Evening Primrose	sun/pt sh	3-5"	2-3'	yellow	summer		x	x	x		nectar source, special value to native bees
<i>Penstemon australis</i>	Beardtongue	sun/pt sh	1-3'	1'	pink/purple	spr/sum				x		special value to native bees
<i>Physostegia virginiana</i>	Fall Obedient Plant	sun/pt sh	3-5'	2-3'	lavender	Fall	x	x	x		x	nectar source, deer resistant

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Pycnanthemum muticum</i>	Mountain Mint	sun/pt sh	3-4'	2-3'	white	fall	x			x	x	fragrant, edible, like moist, well-drained soil
<i>Rudbeckia hirta</i>	Black Eyed Susan	sun/pt sh	2-4'	2-3'	yellow	fall	x	x	x		x	nectar source, deer resistant
<i>Rudbeckia lacinata</i>	Cut leaf Coneflower	sun/pt sh	3-12'	2-3'	yellow	fall	x	x	x		x	nectar source, deer resistant, spreads
<i>Rudbeckia triloba</i>	Browneyed Susan	sun/pt sh	2-5'	2-3'	yellow	sum/fall	x		x	x		great nectar source
<i>Rudbeckia fulgida</i>	Orange Coneflower	sun	1-3'	2-3'	Yellow/orange	sum/fall			x	x		great nectar source, special value to native bees
<i>Ruellia caroliniensis</i>	Wild Petunia	sun/pt sh	1-2'	1-2'	blue	summer	x	x	x		x	
<i>Salvia azurea</i>	Big Blue Salvia	sun	3-4'	2-3'	lt blue	summer	x	x		x	x	
<i>Salvia coccinea</i>	Scarlet Sage	sun/pt sh	2-4'	2-4'	red	sum/fall	x	x		x	x	nectar source, deer resistant
<i>Salvia lyrata</i>	Lyre Leaf Sage	sun/pt sh	1-2'	2-4'	purple	summer	x	x			x	nectar source
<i>Saururus cernuus</i>	Lizard's Tail	pt sh/shad	1-3'		white	spr/sum			x			valued by wood ducks
<i>Scutellaria integrifolia</i>	Helmet Scullcap	sun/shade	1-2'	2-4'	blue	spring	x					
<i>Silene regia*</i>	Royal Catchfly	sun/shade	3-5'	2-3'	red	summer	x	x	x			
<i>Sisyrinchium angustifolium</i>	Blue Eyed Grass	sun/pt sh	1'	1'	blue/purple	spring	x		x			ground cover to replace grass
<i>Solidago altissima</i>	Tall Goldenrod	sun/pt sh	2-6'	spreads	dk yellow	summer	x			x	x	will tolerate dry soil
<i>Solidago sempervirens</i>	Seaside Goldenrod	sun	3-5'	2-4'	yellow	fall	x		x		x	great nectar source, special value to native and bumble bees, attracts predatory insects
<i>Spigelia marilandica</i>	Indian Pink	pt shade	1-3'		red/yellow	spr/sum		x				bog or pond area
<i>Stokesia laevis*</i>	Stokes Aster	sun/pt sh	2-3'	2-3'	blue	spring	x	x	x			nectar source
<i>Stokesia laevis 'alba'*</i>	White Stokes Aster	sun/pt sh	2-3'	2-3'	white	spring	x	x	x			nectar source
<i>Tradescantia ohiensis</i>	Smooth Spiderwort	sun/pt sh/	1-3'		blue	spr/sum	x				x	special value to native and bumble bees, nectar source
<i>Verbesina occidentalis</i>	Yellow Wingstem	sun/pt sh	3-5'	3-4'	yellow	fall	x	x	x			nectar source, Gray Hairstreak & Summer Azure LH, special value to native, bumble & honey bees

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Verbesina virginica</i>	White Crowbeard	sun/pt sh	3-5'	3-4'	white	fall	x	x	x			
<i>Vernonia angustifolia</i>	Tall Ironweed	sun/pt sh	4-6'	3-4'	purple	sum/fall	x	x	x		x	
Shrub												
<i>Baccharis halimifolia</i>	Salt bush	sun/pt sh	6-8'	4-6'	white	fall	x		x	x		nectar source, Monarch migration nectar
<i>Callicarpa americana</i>	Beautyberry	sun/shade	4-8'	4-6'	purple fruit	fall	x		x			nectar source, can be pruned severely right before spring growth
<i>Calycanthus floridus</i>	Carolina Spicebush	pt sh/sh	6-8'	5-8'	dk red	spring					x	
<i>Calamintha georgiana</i>	Georgia Savory	sun/pt sha	1-2'	2-3'	purple	spring/fall	x			x		fragrant, likes sandy well-drained soil
<i>Conradina canescens</i>	Beach Rosemary	sun	2-4'	2-4'	lt. lavender	spr/fall	x			x		fragrant, likes sandy well-drained soil
<i>Erythrina herbacea</i>	Coral Bean	sun/pt sh	6-12'		red	spr/lt win		X				Seeds are poisonous to humans if eaten.
<i>Hydrangea quercifolia</i>	Oakleaf Hydrangea 'Snowflake'	pt sh/shad	6-8'	6-8'	white	sum/fall	x		x			Lovely drooping large white flowers fade to pink, fall color, nice bark
<i>Ilex glabra</i>	Inkberry	pt shade	12'	2-4'	white	sum/fall			x		x	Holly Azure LH, special value to honey bees
<i>Illicium floridanum</i>	Florida Anise	shade	10-15'	8-10'	maroon	sum/fall					x	
<i>Morella cerifera</i>	Wax Myrtle	sun/pt sha	15-20'	8-12'	yellowish	spring	x		x		x	Red-Banded Hairstreak LH
<i>Rhododendron alabamense</i>	Alabama Azalea	sun/pt sh	6-12'	6-12'	white w/ yellow blotch		x		x	x		very fragrant, well drained soil, drought tolerant
<i>Rhododendron arborescens</i>	Sweet Azalea	sun/pt sh	8-20'	8-20'	pink, yellow		x		x	x		fragrant, good fall color, moist, well-drained, acid soil
<i>Rhododendron atlanticum</i>	Coast Azalea	sun/pt sh	2-6'	2-6'	white/lt pink	spring	x	x		x		fragrant, moist, well-drained soil
<i>Rhododendron austrinum</i>	Florida Azalea	pt shade	8-10'	8-10'	yellow to orange	spring		x		x		fragrant, drought tolerant

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Rhododendron canescens</i>	Piedmont Azalea	sun/pt sh	6-10'	6-10'	white to lt. pink	spring	x	x		x		fragrant, moist, well drained soil
<i>Rhododendron flammeum</i>	Oconee Azalea	part shade	6-8'	6-8'	yellow, orange	spring	x	x		x		fragrant, moist, well drained soil
<i>Rhododendron viscosum</i>	Swamp Azalea	sun/pt sh	2-8'	3-8'	white	spring/sum						fragrant, moist to wet soil
<i>Rhus copallinum</i>	Winged Sumac	sun	5-8'	3-4'	red berries	summer			x		x	Red-Banded Hairstreak LH, special value to native & honey bees, nesting for native bees
<i>Sambucus canadensis</i>	Elderberry	sun/pt sh	5-8'	3-4'	white	summer	x	x	x			nectar source, nesting for native bees, attracts predatory insects
<i>Yucca filamentosa</i>	Yucca	sun/pt sh	8-12'	3-6'	white	spr/sum	x	x			x	Yucca Giant-Skipper, Cofaqui Giant-Skipper LH
Tree												
<i>Acer negundo</i>	Box Elder	sun	35-60'		yellow/green	spr			x			Cecropia Silkmoth LH, special value to honey bees
<i>Acer rubrum</i>	Red Maple	sun/pt sh	50-120'	30-40'	red	spring	x		x			
<i>Betula nigra</i>	River Birch	sun	50-90'	30'	yellowish	spring	x		x		x	Mourning Cloak LH
<i>Catalpa bignonioides</i>	Southern Catalpa	pt shade	25-40'	25-40'	white	spr/sum				x		special value to honey bees
<i>Cercis canadensis</i>	Eastern Redbud	sun/pt sh	20-35'	15-25'	rosy purple	lt win	x		x			nectar source, special value to native & honey bees, nesting for native bees
<i>Fraxinus americana</i>	American Ash	sun	50-80'	40-50'			x		x			Eastern Tiger & Viceroy Swallowtail LH
<i>Gordonia lasianthus</i>	Loblolly Bay	sun/pt sh	35-70'		white	sum/fall		x	x	x	x	evergreen, likes moist, well-drained soil
<i>Ilex vomitoria</i>	Yaupon Holly	sun/shade	20-25'	20'	white	spring	x		x		x	Holly Azure & Henrys Elfin LH, nectar source
<i>Juniperus silicicola</i>	Southern Red Cedar	sun	40'	10-20'	blue berries	sum/fall	x		x		x	Juniper Hairstreak var Sweadner's & Olive Butterfly LH, nesting site

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Liriodendron tulipifera</i>	Tulip Tree	sun/pt sh/	100'		yellow, green	spr/sum	x	x	x	x		Eastern tiger swallowtail & Viceroy LH, special value to honey bees
<i>Liquidambar styraciflua</i>	American Sweetgum	sun	75-130'						x		x	nesting site, seed balls attract several bird species
<i>Magnolia grandiflora</i>	Southern Magnolia	sun/shade	60'	30'	white	spr/sum			x		x	seed for birds
<i>Magnolia virginiana</i>	Sweet Bay Magnolia	sun/pt sh	60'	25'	white	spr/sum	x		x		x	Spicebush & Palamedes swallowtails, nectar source for moths and beetles
<i>Persea palustris</i>	Swamp Bay	sun/pt sh	12-25'		yellow	spring	x		x			wet to dry, peaty to sandy soils
<i>Prunus caroliniana</i>	Cherry laurel	sun/pt sh	15-20'		white	spr			x		x	Eastern tiger swallowtail LH, nectar source, deer resistant, special value to native bees
<i>Pinus strobus</i>	Eastern White Pine	sun/pt sh/	100'		red,pink,yel	spr/sum			x			attracts birds & mammals for food and shelter
<i>Quercus spp.</i>	Mixed native oaks	sun/pt sh	varies	varies					x		x	attracts birds & mammals for food and shelter
<i>Quercus nigra</i>	Water Oak	pt sh	40-60'	27'	yellow	spr/sum					x	
<i>Quercus michauxii</i>	Swamp Chestnut Oak	pt sh	48-100'		yellow	spr	x		x			Horaces & Juvenal's Duskywings, Banded & White M Hairstreak LH
<i>Quercus palustris</i>	Pin Oak	sun/pt sh/	60-70'		yellow/green	spr/sum	x	x	x			
<i>Quercus phellos</i>	Willow Oak	pt shade	72-100'		yellow	spring	x		x			White M Hairstreak, Horaces Duskywing LH
<i>Sabal palmetto</i>	Cabbage Palm	sun	30-40'		white	summer	x		x		x	nectar source, habitat for reptiles, insects, mammals, birds
<i>Salix caroliniana</i>	Coastal Plain Willow	pt shade	Shrub		green	spring				x		Viceroy, Red-Spottd Purple, E. Tiger Swallowtail, Striped Hairstreak LH, special value to native bees
<i>Taxodium distichum</i>	Bald Cypress	sun/pt sh	70-100'	25-35'	silvery, purple	spring			x		x	special value to native bees, wet soils of stream banks & swamps

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
Non-Georgia Native Plants												
Hardy Tropical												
<i>Agave americana</i>	Century Plant	sun	2-6'	3-7'	white			x	x		x	nectar source, protective habitat for birds & small animals. Drought tol.
<i>Alocasia macrorrhiza</i>	Elephant ear	shade	4-5'	2-3'	cream	summer					x	
<i>Alocasia species</i>	Tree Elephant Ear	shade	4-8'	3-6'							x	
<i>Aloe species</i>	Aloes	sun/pt sh	1-3'	1'2'	orange	summer		x				drought tolerant
<i>Alpinia zerumbet 'Variegata'</i>	Shell Ginger	sun/pt sh	3-4'	spreads	white	summer						showiy foliage
<i>Canna 'Bengal Tiger'</i>	Canna Lily	sun/pt sh	2-8'	1-4'	orange	sum/fall	x	x		x		needs regular water
<i>Canna x generalis</i>	Mango Canna Lily	sun/pt sh	3-4'	1-2'	mango	sum/fall	x	x		x		needs regular water
<i>Canna x generalis</i>	Ivory Canna Lily	sun/pt sh	1.5-2'	2-4'	ivory	sum/fall	x	x		x		needs regular water
<i>Canna x generalis</i>	Black Knight Canna Lily	sun/pt sh	4-6'	2-4'	red	sum/fall	x	x		x		Dramatic burgundy foliage. keep well watered
<i>Colocasia esculenta</i>	Taro	shade	2-4'	3-5'	cream	summer					x	needs regular water
<i>Curcuma sps.</i>	Hidden Ginger	pt sh/sh	2-3'	2'3'	pale pink	summer	x		x	x		mark where you plant -disappears in win.
<i>Curcuma 'Hot Lips'</i>	Hidden Ginger	pt sh/sh	4-5'	4'5'	hot pink	summer	x		x	x		mark where you plant -disappears in win.
<i>Cycas revoluta</i>	Sago Palm	pt sh	3-5'	3-4'	orange	summer						
<i>Elettaria cardamomum</i>	Cardamom	pt sh/sh	3-4'	2-3'	cream	summer						lovely ground cover for moist shade
<i>Hedychium coronarium</i>	White butterfly Ginger	pt sh/sh	3-5'	2-5'	white	summer	x	x				
<i>Musa acuminata</i>	Banana	sun/pt sh	12'	spreads								heavy feeder, likes moisture
<i>Neomarica gracilis</i>	Walking Iris	pt sh/shad	2-3'	spreads	white w/purple	summer						prefers moist, sandy soil
<i>Odontonema cuspidatum</i>	Firespike, Cardinal Guard	sun/pt sh	4-6'	1-3'	red	fall	x	x				likes well-drained soil, some drought and salt tolerance

Latin Name	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes	
Succulents	Succulent varieties	sun/pt sh	Large Selection in individual pots and containers									x	drought tolerant
Zingiber sp.	Pinecone ginger	sun/pt sh	3-4'	3-5'	red,white	sum/fall						likes moist, well-drained soil	
Heritage tree/shrub													
Crinum americanum	Crinum Lily	sun/pt sh	2-4'	2-5'	white	lt spr/sum		x				water garden, bog or pond	
Eriobotrya japonica	Loquat	pt sh/sh	20'	prunable	yellow	spring					x	well-drained soil, some deer and salt tolerance.	
Gardenia sp	Large leaved	pt sh	4-8'	4-8'	white	spr/sum					x	very fragrant, needs rich, acid soil, some deer resistance	
Hibiscus mutabilis	Confederate Rose	sun/pt sur	6-15'	6-10'	pink	sum/fall	x					deer resistant	
Rhododendron	Evergreen Indica Azalea	sun/shade	5-8'	5-8'	pink	spring		x		x			
Houseplant													
Sansevieria spp	Snake Plant										x		
Stromanthe thalia	Peace Lily	pt sh/sh	2-3'	3-4'	red	spring					x		
Perennial													
Achillea millefolium	Yarrow	sun	1-3'	1-3'	cream, white	summer	x			x	x	needs well-drained soil, drought tol.	
Allium tuberosum	Garlic Chives	sun	4-6"	1'	cream	summer					x	drought tolerant	
Crocsmia aurea	Montbretia	pt sh/sh	1-2'	2-3'	orange	fall	x	x					
Dietes iridioides	African Iris	sun/pt sh	2-4'	1-2'	white w/ purple	spr/sum					x	easy to grow, spreads some, drought tolerant	
Festuca glauca 'Elijah Blue"	Elijah Blue Fescue	sun/pt sh	10-12"	1-2'	green, tan		x				x	silvery blue, grass-like, drought tolerant, needs good drainage	
Helleborus orientalis	Lenton Rose	shade	1-2'	2-3'	cream	winter							
Hippeastrum sp.	Amaryllis sp.		1-1.5'	1-2'	red & white	spring					x	spreads over time	
Hymenocallis latifolia	Spider Lily	sun/pt sh	2-3'	2-3'	white	summer	x	x				South Florida and the Keys, mangrove swamps	
Iris germanica 'Ruby Mine'	Bronze Iris	sun/pt sh	3'	1-3'	bronze	spring					x	needs good drainage	

<i>Latin Name</i>	Common Name	Exposure	Ht.	Width	Flr. Color	Bloom**	Butter.	Hum.	Birds	Bees	Deer resist.	Notes
<i>Iris ser. Hexagonae</i>	Louisiana Iris	sun/pt sh	2-3'	1-2'	purple	spring	x			x	x	Group of 5 rare iris sp native to Louisiana & nearby regions. Very showy
<i>Monarda species</i>	Hot Pink Wild Bergamot	sun	3'	3-4'	hot pink	spr/sum	x			x	x	
<i>Salvia sp.</i>	Pink cultivar	sun/pt sh	2-4'	2 -4'	pink	sum/fall	x	x		x	x	
Prices and Inventory subject to change												
*Native, outside coastal counties						LH= larval host, sources - wildflower.org, Weakleys Flora of Southeast						
** Bloom time is highly dependant upon yearly weather patterns												
*** Pollinators may vary depending upon available alternative food sources												